



# COVID-19 Epidemiology Weekly Supplement

OTTAWA PUBLIC HEALTH. Report compiled on August 12, 2020, 11:00 am

## Contents

Purpose .....	2
Summary .....	2
Cases .....	3
Source of infection .....	6
Severity of Cases .....	8
Outbreaks .....	10
Data Tables .....	12



## Purpose

This Weekly Supplement provides an epidemiologic summary of COVID-19 activity in Ottawa to date. The report includes the most current information available from the COVID-19 Ottawa Database (COD) as of 2:00 p.m. August 11, 2020.

Please visit the [Ottawa COVID-19 Dashboard](#) for additional information on cases and deaths, outbreaks and core indicators for COVID-19 monitoring.

## Summary


- As of 2:00 p.m. on August 11, 2020, **2,669** lab-confirmed cases have been reported among Ottawa residents.
- Last week the number of reported cases (96 from August 3 to August 9) was lower than the previous week (112 from July 27 to August 2). Rates of confirmed COVID-19 infections were still high among children, youth and young adults (under 40 years).
- No source of infection was identified for 23% of the 141 non-institutionalized cases with episode dates during July 27 – August 9; these cases are considered community-acquired.
- Females have a higher rate (292 per 100,000) of confirmed COVID-19 infections than males (213 per 100,000).
- Five cases were hospitalized in the past week. A total of 268 (10%) Ottawa residents with confirmed COVID-19 have been hospitalized, including 65 (3%) who were admitted to the ICU.
- No new deaths were reported in the past week. There have been **264 deaths** in total.
- Two new outbreaks in healthcare settings and 1 new outbreak in a childcare setting were declared over the past week. There are 9 ongoing outbreaks in institutions.




## Cases

Weekly change in cases from the previous week: ▼14%

**Figure 1a. Weekly cases and rates of confirmed COVID-19 among Ottawa residents**



**Figure 1b. Weekly change in cases of confirmed COVID-19 among Ottawa residents, by age**




**Notes:**


1. Data on cases are from the COD as of 2:00 p.m. on August 11, 2020,
2. Case counts are presented by reported date. Counts from the latest week should be interpreted with caution due to potential lags in reporting.



**Figure 2a. Cumulative rates of confirmed COVID-19 cases among Ottawa residents (n=2,669) by age group, all ages**



**Figure 2b. Cumulative rates of confirmed COVID-19 cases among Ottawa residents age 0-79 years (n=2,194), by age group**




**Notes:**

1. Confirmed cases are those with a confirmed COVID-19 laboratory result as per the Ministry of Health Public health management of cases and contacts of COVID-19 in Ontario. June 23, 2020 version 8.0.
2. Rates per 100,000 were calculated using Ottawa population projection data for 2020 from Ontario Ministry of Health, IntelliHEALTH Ontario, extracted on November 26, 2019.



**Figure 3. Ottawa residents with confirmed COVID-19 (n=2,669), by age group**



**Notes:**

1. Data on cases are from the COD as of 2:00 p.m. on August 11, 2020.
2. Confirmed cases are those with a confirmed COVID-19 laboratory result as per the Ministry of Health Public health management of cases and contacts of COVID-19 in Ontario. June 23, 2020 version 8.0.
3. Rates per 100,000 were calculated using Ottawa population projection data for 2020 from Ontario Ministry of Health, IntelliHEALTH Ontario, extracted on November 26, 2019.

**Table 1. Ottawa residents with confirmed COVID-19 (n=2,669), by gender**

Gender	Number of cases (%)	Rate (per 100,000 population)
Female	1,568 (59%)	292
Male	1,101 (41%)	213

**Notes:**


1. Data on cases are from the COD as of 2:00 p.m. on August 11, 2020.
2. Confirmed cases are those with a confirmed COVID-19 laboratory result as per the Ministry of Health Public health management of cases and contacts of COVID-19 in Ontario. June 23, 2020 version 8.0.
3. Rates per 100,000 were calculated using Ottawa population projection data for 2020 from Ontario Ministry of Health, IntelliHEALTH Ontario, extracted on November 26, 2019.



## Source of infection

No source was identified for 23% of the 141 non-institutionalized cases with episode dates during July 27 – August 9.

**Figure 4. Epidemiological curve of Ottawa residents with confirmed COVID-19, by the earliest of onset, test and reported date, by source of infection (n=2,669)**




### Notes:

1. Data are from the COD as of 2:00 pm on August 11, 2020.
2. Source of infection is allocated using a hierarchy: Related to travel prior to April 1, 2020 > Close contact of a known case or part of a community or institutional outbreak > Related to travel since April 1, 2020 > No known source of infection > Missing.
3. The percent of cases with unknown source, during the current day and previous 13 days, is calculated as the number of cases with no known source among cases whose source of infection is not an institutional outbreak. It is a rolling average of the 14 days ending on a given day.
4. The percent of cases with no known source is unstable during time periods with few cases.
5. As cases are investigated and more information is available, the distribution of cases by date and source of infection is updated.
6. The distribution of the source of infection among confirmed cases is impacted by the provincial guidance on testing.
7. Confirmed cases are those with a confirmed COVID-19 laboratory result as per the Ministry of Health Public health management of cases and contacts of COVID-19 in Ontario. June 23, 2020 version 8.0.
8. Surveillance testing for COVID-19 began in long term care facilities on April 25, 2020.
9. The number of reported cases underestimates the actual number of infections. Information on overall infection rates in Canada will not be available until large studies on COVID-19 antibody presence in blood serum are conducted. Based on available information, the actual number of infections may lie from 5 to 30 times or more than the reported number of cases.



**Figure 5. Epidemiological curve of Ottawa residents with confirmed COVID-19, by the EARLIEST of onset, test and reported date, by outbreak association† (n=2,669)**



**Notes:**

1. Data are from the COD as of 2:00 p.m. on August 11, 2020.
2. As the case is investigated and more information is available, the dates in the graph are updated.
3. Confirmed cases are those with a confirmed COVID-19 laboratory result as per the Ministry of Health Public health management of cases and contacts of COVID-19 in Ontario. June 23, 2020 version 8.0.
4. †Cases are associated with a specific, isolated community outbreak; a healthcare institutional outbreak; or no known outbreak (i.e., sporadic).
5. A patient's exposure may have occurred up to 14 days prior to onset of symptoms.
6. \*Symptomatic cases occurring in approximately the last 14 days are likely under-reported due to the time for individuals to seek medical assessment, availability of testing, and receipt of test results.
7. Healthcare institutions include long term care facilities, retirement homes, and hospitals.
8. § Surveillance testing for COVID-19 began in long term care facilities on April 25, 2020.
9. The number of reported confirmed community cases underestimates the actual number of infections. Information on overall infection rates in Canada will not be available until large studies on COVID-19 antibody presence in blood serum are conducted. Based on available information, the actual number of infections may lie from 5 to 30 times or more than the reported number of cases.<sup>1</sup>

<sup>1</sup> Richterich P. Severe underestimation of COVID-19 case numbers: Effect of epidemic growth rate and test restrictions. *medRxiv*. April 2020: 2020.04.13. doi.org/10.1101/2020.04.13.20064220




## Severity of Cases

The data in Figure 4 present information about Ottawa residents with COVID-19 who have been admitted to hospitals in Ottawa. These indicators help us monitor the level and severity of infection within the City.

The number of hospital admissions recorded in the past 3-5 days should be considered preliminary as hospital data are still being received and entered for this time period.

This measure is intended to be an indicator of hospitalizations from new COVID-19 infections. Therefore, the data do not include hospitalizations for Ottawa residents with confirmed COVID-19 whose COVID-19 infection was deemed resolved and are subsequently hospitalized, due to sequelae (lingering effects) of COVID-19 or reasons other than COVID-19.

**Figure 6. Number of Ottawa residents with confirmed COVID-19 newly admitted to hospital and number currently hospitalized, by day**



### Notes:

1. Data are from the COD as of 2:00 p.m. on August 11, 2020. Confirmed cases are those with a confirmed COVID-19 laboratory result as per the Ministry of Health Public health management of cases and contacts of COVID-19 in Ontario. June 23, 2020 version 8.0.
2. The light green curve represents the number of COVID-19 patients hospitalized. The dark blue curve represents the number of newly hospitalized COVID-19 patients.
3. This measure is intended to be an indicator of hospitalizations from new COVID-19 infections. Therefore, the data do not include hospitalizations for Ottawa residents with confirmed COVID-19 whose COVID-19 infection was deemed resolved and are subsequently hospitalized, due to sequelae (lingering effects) of COVID-19 or reasons other than COVID-19.
4. New admissions, discharges, deaths, and data entry lags contribute to daily fluctuations in the number of patients currently in hospital making comparisons to the previous day difficult. New hospital admissions and counts of currently in hospital may lag and are subject to change as the hospitalization information is tied to case investigation. Comparisons should not be made between the number of patients currently in hospital and new hospital admissions since hospitalization information is only updated once a patient's COVID-19 infection is confirmed. Admission information would then be updated retrospectively. For example, there can be a delay between when a patient is admitted to hospital, tested for COVID-19, and receive test results. If positive results are received, a case investigation begins and their hospitalization information is updated, resulting in a lag in the newly admitted and currently hospitalized information.



**Table 2. Age of Ottawa residents with confirmed COVID-19 that have been hospitalized (cumulative) and in intensive care (cumulative) (n=2,669)**

<b>Measure</b>	<b>Hospitalizations (% of cases within age group)</b>	<b>ICU Admissions (% of cases within age group)</b>	<b>Deaths (% of cases within age group)</b>
<b>Age Group</b>			
0 to 9 years	0	0	0
10 to 19 years	1 (<1%)	1 (<1%)	0
20 to 29 years	5 (1%)	0	0
30 to 39 years	13 (4%)	4 (1%)	1 (<1%)
40 to 49 years	18 (5%)	6 (2%)	1 (<1%)
50 to 59 years	46 (13%)	19 (5%)	7 (2%)
60 to 69 years	58 (21%)	16 (6%)	19 (7%)
70 to 79 years	51 (27%)	12 (6%)	38 (20%)
80 to 89 years	50 (18%)	6 (2%)	106 (38%)
90+ years	26 (13%)	1 (<1%)	92 (46%)
Unknown	0	0	0
<b>Median age</b>	<b>69 years</b>	<b>63 years</b>	<b>87 years</b>
<b>Total</b>	<b>268 (10%)</b>	<b>65 (2%)</b>	<b>264 (10%)</b>

**Notes:**

1. Data are from the COD as of 2:00 p.m. on August 11, 2020.
2. This measure is intended to be an indicator of hospitalizations from new COVID-19 infections. Therefore, the data do not include hospitalizations for Ottawa residents with confirmed COVID-19 whose COVID-19 infection was deemed resolved and are subsequently hospitalized, due to sequelae (lingering effects) of COVID-19 or reasons other than COVID-19.
3. The percent of hospitalizations, ICU admissions, and deaths by age group uses the number of cases for each age group as the denominator.

**Table 3. COVID-19 volume of Ottawa residents in Ottawa hospitals**


<b>Measure</b>	<b>7-day median</b>	<b>30-day median</b>
Currently hospitalized	12	10
Newly hospitalized*	1	1
Currently in intensive care	2	2

**Notes:**

1. Data are from the COD as of 2:00 p.m. on August 11, 2020.
2. Ottawa hospitals reporting inpatient data include The Children's Hospital of Eastern Ontario, The Ottawa Hospital, Queensway Carleton Hospital, Hôpital Montfort, The University of Ottawa Heart Institute, The Royal Ottawa, and Bruyère Continuing Care.
3. Ottawa hospitals reporting intensive care data include The Children's Hospital of Eastern Ontario, The Ottawa Hospital, Queensway Carleton Hospital, Hôpital Montfort and The University of Ottawa Heart Institute.
4. \*Newly hospitalized refers to most current day for which data are available.



**Figure 7. Total number of COVID-19 outbreaks in Ottawa healthcare institutions<sup>4</sup>**



**Notes:**

1. Data are from The COD as of 2:00 pm on August 11, 2020.
2. 66 outbreaks are closed and 6 are active in Ottawa healthcare institutions. Investigation and data entry are ongoing.
3. These outbreaks reflect the definitions at the time they were declared open.
4. Healthcare institutions include long-term care homes, retirement homes, public hospitals, and other institutions (e.g. group homes, shelters, assisted living).

There are 3 ongoing and 13 closed outbreaks in other settings in Ottawa.

**Table 4. Confirmed outbreaks of COVID-19 in other settings in Ottawa**

Setting	Ongoing Outbreaks	Closed Outbreaks	Cases	Deaths
Daycare	3	5	18	0
Workplace	0	7	72	1
Residential	0	1	14	0
<b>Total</b>	<b>3</b>	<b>13</b>	<b>104</b>	<b>1</b>

**Notes:**

1. Data are from the COD as of 2:00 p.m. on August 11, 2020.
2. In workplace settings, the occurrence of two or more cases of laboratory-confirmed COVID-19 with an epidemiological link (i.e., there is reasonable probability of acquisition in the workplace) is considered an outbreak.



**Please use the following citation when referencing this document:**

Ottawa Public Health. COVID-19 Epidemiology Weekly Supplement. August 12, 2020.  
Ottawa (ON): Ottawa Public Health; 2020.

**For further information about COVID-19 in Ottawa,** visit [ottawapublichealth.ca](https://ottawapublichealth.ca).



## Data Tables

Data table for Figure 1a (Weekly cases and rates of confirmed COVID-19 among Ottawa residents, by week)

<b>Week reported</b>	<b>Cases</b>	<b>Rate (per 100,000 population)</b>
9-Mar	13	1.2
16-Mar	23	2.2
23-Mar	106	10.1
30-Mar	251	23.8
6-Apr	219	20.8
13-Apr	270	25.6
20-Apr	331	31.4
27-Apr	298	28.3
4-May	152	14.4
11-May	123	11.7
18-May	97	9.2
25-May	66	6.3
1-Jun	50	4.7
8-Jun	32	3.0
15-Jun	23	2.2
22-Jun	30	2.8
29-Jun	32	3.0
6-Jul	44	4.2
13-Jul	95	9.0
20-Jul	192	18.2
27-Jul	112	10.6
3-Aug	96	9.1
<b>Total</b>	<b>2,655</b>	<b>251.7</b>

Data table for Figure 1b (Weekly change in cases of confirmed COVID-19 among Ottawa residents, by age group)

<b>Week reported</b>	<b>Age Group</b>					<b>Total</b>
	<b>0-19 years</b>	<b>20-39 years</b>	<b>40-59 years</b>	<b>60-79 years</b>	<b>80+ years</b>	
29-Jun	2.7	4.7	2.9	1.0	2.4	3.0
6-Jul	4.0	6.9	3.6	1.0	2.4	4.2
13-Jul	8.1	14.7	8.4	3.6	0.0	9.0
20-Jul	21.1	25.6	18.2	5.6	4.7	18.2
27-Jul	17.5	12.5	6.9	5.1	9.4	10.6
3-Aug	12.1	12.2	6.9	5.6	0.0	9.1



Data table for Figure 3 (Ottawa residents with confirmed COVID-19, by age group)

Age	Number of Cases	Population	Rate (per 100,000)
0-9 years	90	109,973	82
10-19 years	157	113,243	139
20 to 29 years	425	161,498	263
30 to 39 years	359	158,259	227
40 to 49 years	340	134,815	252
50 to 59 years	361	139,786	258
60 to 69 years	270	118,913	227
70 to 79 years	192	75,781	253
80 to 89 years	277	33,540	826
90+ years	198	8,848	2,238
<b>Total</b>	<b>2,669</b>	<b>1,054,656</b>	<b>253</b>

Data table for Figures 2a and 2b are available on [Open Ottawa](#) (Excel file).

Data table for Figure 4 are available on [Open Ottawa](#) (csv file).

Data table for Figure 5 are available on [Open Ottawa](#) (csv file).

Data table for Figure 6 are available on [Open Ottawa](#) (csv file).

Data table for Figure 7 are available on [Open Ottawa](#) (csv file).

